





# WAH1004/3004

## USB 3G Modem/USB 3G Modem Router

The Zyxel WAH1004/3004 USB 3G Modem provides users to enjoy the best mobile broadband connectivity through High-Speed Packet Access (HSPA+) 3G networks. The technology is backward compatible with HSDPA/UMTS/EDGE/GPRS standards, allowing user to connect a variety of mobile broadband services all over the world. You can easily access and surf the Internet in residences, offices or anywhere with 3G coverage without limitation from wires.

#### **Benefits**

#### High compatibility with multi-band support

Different mobile broadband frequencies in different countries are always a headache for frequent flyers. The Zyxel WAH1004/3004 USB 3G Modem supports a spectrum of band1/8 (WAH1004) band 1 (WAH3004) for 3G and band 2/3/5/8 (WAH1004) band 3/8 (WAH3004) for 2G used in most countries. Don't bother changing your 3G dongle again for different frequencies when you are on the road.

#### Configuration free, plug and play

The built-in software of WAH1004/3004 avoids complicated configuration or installation procedures for users to quickly set up the device with just a few clicks in minutes. Simply plug the dongle into the computer or any network device to get mobile Internet access easily.



LTE 3GPP HSPA+/HSPA compliant



Wireless 11N of up to 150 Mbps



Micro SD card slot (max. 32 GB extended storage)



Plug-and-play design

#### Compact design that fits any device

The WAH1004/3004 has a USB housing that requires no additional cable to connect to the network devices. The embedded antenna keeps WAH1004/3004 compact to fit any device without interfering other physical connections.

#### Micro SD card mass storage for file sharing

WAH1004/3004 supports micro SD cards so users have an additional storage space of up to 32 GB. The convenient feature allows you to use the LTE portable router as a mobile drive.

#### Wi-Fi sharing with up to 10 clients

In addition to providing 3G/2G access, WAH3004 is also a Wi-Fi sharing device that supports up to 10 clients. You can share the LTE bandwidth with friends or colleagues through Wi-Fi connection.

#### **USB 3G Modem**

#### WAH1004

**USB 3G Modem** 



- 3GPP HSPA+/HSPA compliant, data rates of up to 21 Mbps DL and 5.76 Mbps UL
- 3G/2G dual-mode supporting 3G band 1/8 and 2G quad bands
- Micro SD card slot for additional memory of up to 32 GB

### WAH3004 USB 3G Modem Router




- 3GPP HSPA+/HSPA compliant, data rates of up to 21 Mbps DL and 5.76 Mbps UL
- 3G/2G dual-mode supporting 3G band 1 and 2G band 3/8
- Micro SD card slot for additional memory of up to 32 GB
- Supports 802.11n, data rates of up to 150 Mbps
- Supports 10 simultaneous Wi-Fi clients


# **Specifications**

Model	WAH1004	WAH3004
Air Interface		
Standard compliant	HSPA+ compliant	HSPA+ compliant
Maximum transmitter power	HSPA+/UMTS power class 3 (+23 dBm)	HSPA+/UMTS power class 3 (+23 dBm)
Frequency	<ul> <li>HSPA+/UMTS band 1/8 (2100/900 MHz)</li> <li>EDGE/GPRS/GSM band 2/3/5/8 (1900/1800/850/900 MHz)</li> </ul>	<ul><li>HSPA+/UMTS band 1 (2100 MHz)</li><li>EDGE/GPRS/GSM band 3/8 (1800/900 MHz)</li></ul>
Antenna	•1x internal main antenna	<ul><li>1 x internal main antenna</li><li>1 x internal Wi-Fi antenna</li></ul>
Peak data rate	<ul><li>Downlink: 21 Mbps</li><li>Uplink: 5.76 Mbps</li></ul>	<ul><li>Downlink: 21 Mbps</li><li>Uplink: 5.76 Mbps</li></ul>
WLAN Function		
Wireless standard	-	IEEE 802.11 compliance
Clients	-	Up to10 stations
Data rate	-	802.11 b/g/n 2.4 GHz, 150 Mbps
Hardware Interface		
USB compliance	USB 2.0	USB 2.0
Card slot	UICC/USIM x 1	UICC/USIM x 1
Micro SD compliance	Micro SD card slot up to 32 GB x 1	Micro SD card slot up to 32 GB x 1
Reset button	-	Yes
LED display	2G/3G network status	2G/3G network status, Wi-Fi status

Model		WAH1004	WAH3004
Software Fe	eatures		
Web based		-	Yes
Connection	manager	Yes	-
Plug and pla		Yes	Yes
	status display	Yes	Yes
Auto APN matching with USIM		Yes	Yes
Radio mode selection (2G/3G/Auto)		Yes	Yes
Phonebook from SIM		Yes	Yes
SMS manag	er	Yes	Yes
PIN/PUK cod	de support	Yes	Yes
WEP, WPA, V	WPA2, WPA-PSK, WPA2-PSK	-	Yes
WPS		-	Yes
SSID setting	I	-	Yes
Operating S	system Supported		
Operating S	system	<ul> <li>Microsoft Windows 7, Vista, XP SP2+</li> <li>MAC OSX (10.5/10.6/10.7+ Intel based CPU)</li> <li>Linux Ubuntu</li> </ul>	<ul> <li>Microsoft Windows 8, 7, Vista, XP SP2+</li> <li>MAC OSX (10.5/10.6/10.7/10.8 with latest upgrades)</li> <li>Linux Ubuntu</li> </ul>
Physical Spe	ecifications		
Item	Dimensions (WxDxH)(mm/in.)	85.5 x 25 x 8.9/3.37 x 0.98 x 0.35	91.5 x 27 x 11/3.6 x 1.06 x 0.43
	Weight (g/lb.)	20/0.044	24/0.053
Packing	Dimensions (WxDxH)(mm/in.)	116 x 61 x 20/4.57 x 2.4 x 0.79	116 x 61 x 20/4.57 x 2.4 x 0.79
	Weight (g/lb.)	33/0.073	38/0.084
Environmen	tal Specifications		
Operating	Temperature	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Humidity	5% to 95%	5% to 95%
Storage	Temperature	-20°C to 60°C (-4°F to 140°F)	-20°C to 60°C (-4°F to 140°F)
	Humidity	5% to 95%	5% to 95%
Compliance	& Certifications		
General		<ul> <li>2011/65/EC (RoHS) Restriction of Hazardous Substances Directive</li> <li>European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste</li> <li>HSF (Hazardous Substance Free)</li> </ul>	
Safety		European union (CE mark): EN 60950-1	European union (CE mark): EN 60950-1
SAR		European union (CE mark): EN62311	European union (CE mark): EN62311
EMC		European union (CE mark): EN301489-1-7-24	European union (CE mark): EN301489-1-7-17-24
RF		European union (CE mark): EN301511/EN301908-1/EN301908-2	European union (CE mark): EN301511/EN301908-1/EN301908-2/ EN300328

# **Application Diagram**





#### For more product information, visit us on the web at www.zyxel.com







